

Artic 600

Cold drinks are always the most popular items at vending points. This is why Jofemar has designed a series of refreshment vending machines with the assured reliability and seamless operation that have put our products at the top of the market.

With an innovative system to vend water and pet bottles, this system doesn't only increase the overall capacity, it also avoid jams by product deformation and can be adjusted to any product format.

Their robust design guarantees top resistance to vandalism, being constructed with the best materials for a safe installation against theft attempts.



Technical characteristics

- Cooling unit with adjustable temperature.
- Capacity: 600 Cans, 324 Bottles 0,5L, 60 Cans per channel and 54 bottles on mixed configurations for both formats.
- Continuous product renewal: dispenses product following filling order (FIFO system)
- Large, back-lit, front advertising panel of 1699 x 753,5
- Continuous operational self-testing
- Power supply 220-240 VAC.
- Max. power consumption 650 Wats.
- Refrigerant type: CFC free R-134 A

Dimensions and weight

- Dimensions: 1825 x 1000 x 856 mm
- Weight: 340 Kg

Structure

- Exterior in 1.5-mm thick galvanised steel, with corrosion- and rust-protection.
- Expanded polyurethane thermal insulation.
- Three-anchor point support plate closure with safety lock and crowbar-proof strip.
- Large-capacity vault.

Cash-credit management

- Vending protocols MDB or Executive.

- Change giver with 5 tubes for more flexible change combination.
- Advanced coin validator with the most reliable systems to detect frauds and fake coins.

Programming and management

- On site programming facilities with built modules.
- Cloning machine options with handheld device.
- Remote programming, data extraction, out of product alarm on real time, and more options using Jofemar telemetry software "Vending Track"
- Data retrieval for audits and statistics.

Options

- Bill Validator BT10
- Cashless payment system J130
- Vandal- proof coins entry.
- Modem interface for telemetry management.
- Online working mode with full control of sales and users.



